WOODSTOWN-PILESGROVE JOINT ENVIRONMENTAL COMMISSION ENVIRONMENTAL IMPACT STATEMENT WORKSHEET

The purpose of this worksheet is to assist an applicant in preparing an Environmental Impact Statement (EIS) and to assist the Woodstown-Pilesgrove Joint Environmental Commission (JEC) and the Pilesgrove Township Planning Board (PTPB) in determining the environmental impact of the proposed project. The JEC and the PTPB will review the information supplied on this worksheet as part of the requirement for an Environmental Impact Statement (EIS) under Section 145-57C of the Pilesgrove Township Land Use Ordinance.

Answer all questions unless the worksheet instructs you to leave an answer blank based on your answer to a prior question or unless the question does not apply to your proposed project or development. If you believe that a question is not applicable to your project or development, state the reason for your position and support it with adequate data and information to permit the regulatory agencies to assess the validity of your claim. If additional space is needed, record your answers on additional sheets.

Name of Applicant: Mailing Address:	
Telephone Number:	
Name of Property Owner: Mailing Address:	
Telephone Number:	
Lot and Block Numbers:	
Name of Development Or Project:	
Type of Development Or Project:	
Prepared by:	Date:
Application Number:	
highway location).	ed development or project (e.g., street address, nearest intersection, or
What is the area of develor	oment or project site in acres:
	nap depicting the project site)

	-	ent or project and the ir its, type of units, etc.).	ntended use of the pro	operty
agencies for which name of the issuing	you applied for or gagency, the date of	or project from federal will apply for or have of the permit application red or denied, and numb	received, include the n if it has been submi	type of permit, tted for approva
Permit Name	Agency	Date Submitted	Date Approved	Permit No.
2				
TYPES OF SOIL	<u>S</u>			
TYPES OF SOIL List and describe e If within the propo	ach soil type on the sed area of land di	e site. If septic system v sturbance there exists so napping of all soils type	oils of moderate or se	
TYPES OF SOIL List and describe e If within the propo to type of use prop	ach soil type on the sed area of land di- osed, a complete n ta will be provided	sturbance there exists so	oils of moderate or se s shall be provided.	

Agrio	Eultural Soils: Indicate the acres of tillable soil on the Site: Indicate the acres of prime agricultural soils: Indicate the acres of soils of statewide importance	acres acres :acres				
13. <u>TOP</u>	TOPOGRAPHIC SLOPE					
Do sl	o slopes opes >10% occur onsite: yes; no esc, give the acreage of: 10-15% slope acres >15% slope acres					
	slope >10% be developed? yes; no . If yes, give do stability, and mechanisms for maintenance of slopes).	letails. (Include comments on				
4. FLO	OD HAZARD					
Mana	ections of the site lie within a floodway or flood hazard area as delingement Act (FEMA) maps*?					
If YE	ES, how much acres in flood hazard area acres in floodway					
If YE	ES, how will the flood hazard area and floodway be developed?					
5. <u>AQI</u>	JIFER RECHARGE					
15a.	As determined by the application of Darcy's Law, how many acreare on the site? (Define with gallons of recharge/square foot of re					
	Area of Prime Aquifer Recharge:	acres				
	Area of High Aquifer Recharge: Area of Moderate Aquifer Recharge:	acres				
	Area of Moderate Aquifer Recharge: Area of Low or Minimal Aquifer Recharge:	acres acres				

(covering aquifer recharge areas.	
-		
-		
-		
-		
_		
-		
-		
-		
DEPTE	I TO SEASONAL HIGH WATER TAB	<u>LE</u>
What is	extent of the following seasonally high de	pth to water table categories on the site?
Doon or	· Usually Deep (>10 feet):	noras
	to Moderately Shallow (5 to 10 feet):	acres
	nallow (<5 feet):	acres
		acres
	ll the areas of shallow, moderately shallow	v, and very shallow depths to water table be
	ll the areas of shallow, moderately shallow	-
	ll the areas of shallow, moderately shallow	-
	ll the areas of shallow, moderately shallow	-
	ll the areas of shallow, moderately shallow	-
	ll the areas of shallow, moderately shallow	-
	ll the areas of shallow, moderately shallow	-
develop	ll the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	all the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	ll the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	all the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	all the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	all the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	all the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	all the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	all the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be
develop	all the areas of shallow, moderately shallowed?	v, and very shallow depths to water table be

17. **SEPTIC EFFLUENT DISPOSAL**

So	il Conservation District Standards and Specifications and any other pertinent soil standards
Ge	ology:
So	ils and properties thereof, including capabilities and limitations:
Te	rrain:
ho	insult the United States Department of Agriculture Soil Classification Survey to determine w many acres of the following categories are on this site:
	w to slight limitation for septic effluent: acres
	oderate to severe limitation for septic effluent: acres vere to very severe limitation for septic effluent: acres
	Ill the areas having severe limitations be used for septic effluent disposal? yes;1
If `	YES, describe measures, which will be used to protect water quality in the Mitigation Section
	e there any wells (existing or proposed) within 100 feet of the proposed septic effluent ld(s)? yes; no
	nat is distance between existing/proposed wells and the closest effluent disposal field? feet
	e there any existing ponds, proposed storm water retention basins or streams in the vicinity proposed effluent disposal fields? yes; no
If `	YES, what is the distance between the body of water and the closest effluent disposal field feet (Please include map or schematic drawing to aid explanation)
bec	any of the proposed effluent fields overlie areas of unusually wet or containing shallow drock (less than 4 feet bgs)? yes; no (Please provide and attach formation showing that wastewater can be disposed of through facilities adequate to preclude inconvenience or expenses and water pollution)

- 17d. <u>Septic System Data</u>: Provide and describe the following:
 - a. Data on underlying geology
 - b. Seasonally high water table
 - c. Results of representative percolation rate tests for the tract
 - d. Cation exchange capability at two (2) feet and six (6) feet below the surface of the ground (bgs).
 - e. Test borings conducted to determine the direction and flow of groundwater, soil stratigraphy, analysis of hydrologic soil group for each of the soil types encountered and relative permeability
 - f. Topography and location and depth of aquifers
 - g. Depth and screened intervals of all existing and proposed wells within one thousand (1000) feet of the site or in the affected area, whichever is greater.
 - h. If disposal is by a central treatment facility, a certification of adequate capacity shall be provided.

17e.	Describe compliance with all state and local health regulations

18. **DRAINAGE: STORMWATER RETENTION AND DETENTION**

Provide information showing that storm water runoff from the site is so controlled that on and off site erosion is not developed is not significantly caused nor significantly worsened and that the potential of downstream flooding is not significantly increased, and the following:

- a. Volume and peak flow rates of storm water runoff expected from both the undeveloped site and developed site and to be generated by new improvements, which shall include volumes and rates for 2-, 10-, 25-, and 100-year storm frequencies having durations producing maximum flow rates before and after the proposed development.
- b. Data on landscaping, vegetation, trees, and ground cover existing on the site, compare with that proposed.
- c. Drainage, including both natural drainage of the site and the potential presence of agricultural field tiles or drains, and their effects on the hydrology of the site, both pre and post development, must be addressed.
- d. Changes of runoff rates and volumes to be caused by retention on the site or by means of channeling so as to protect downstream property.
- e. Disposition of storm water on site via retention/detention will require submission of the following information:
 - 1) At least one pit per each 10,000 square feet will be dug including one located within each area designated as a detention and retention basin.
 - 2) Install test pits to a depth below which groundwater is encountered.
 - 3) Provide a written log of each test pit recording the following:
 - ii. Depth and description of each soil horizon using standard Munsell soil colors and standard soil texture determined via the field classification process.
 - iii. Depth and type of soil components.
 - iv. Depth and type of restrictive layers encountered which may inhibit infiltration of storm water.

- v. Estimated depth of seasonal high water table based on soil matrix color and/or predominance of low chromo mottling.
- vi. Record depth at which groundwater is encountered.
- 4) Record approximate location of each test pit on a site map and mark the same location in the field with lath and ribbon.
- 5) Include stabilized groundwater depth and date of second test.
- 6) Provide calculations and information regarding shape, depth, side slope, and volume of basin.
- 7) Describe configuration of outfall structure.

19.	SUITABII	LITY FOR	BUILDING	WITH BA	ASEMENTS
-----	----------	----------	-----------------	---------	-----------------

	S, please describe	e: 					
<u>VEG</u>	ETATION AND WILDLIFE HABITAT						
20a.	What are the pridevelopment?	redominant vegetation	categories on the site and t	their acreage before and af			
	Vegetation Typ	<u>oe</u>	Existing Acres	Post Development Acre			
20b.			on the site having a diameted on the site plan when pra				
	Number	Species	<u>Number</u>	<u>Species</u>			

	If YES, how many acres does it cover? acres,					
	Will the woodland areas be disturbed by the development plan	! yes; 1				
20e.	How many acres of woodland areas will be lost to development?acres					
	Do you plan to propose that any of these woodlands areas be preserved and protected?					
	If so, by what means will it be maintained?					
	Conservation easements	acres				
	Dedication to the Municipality	acres				
	Deed restrictions to lots	acres				
	Creation of Homeowners Association	acres				
	Other proposal:					
LAN	D SUITABILITY FOR DEVELOPMENT					
Check	k all factors which may cause soils on site to be unsuitable for de	velopment:				
	slope					
	_ drainage					
	depth to seasonal high water table					
	suitability for septic drainage fields					
	erosion hazard					
	_ runoff potential					
ENVI	IRONMENTALLY SENSITIVE AREAS					
22a.22b.	Does the proposed development site include any environmentally sensitive areas?					
	acreage:	2 00.00				
	Sensitive Areas Ac Freshwater Wetland/Marshes	<u>reage</u>				
	Flood prone Acres					
	Prime Aquifer Recharge Area					
	Woodland and Wildlife					
	Prime Agricultural Land					
	Finne Agricultural Land					
	Historical Citas					
	Historical Sites					
	Historical Sites Streams					
	Streams Will these environmentally sensitive area be impacted by devel	- ·				
	Streams	- ·				
	Streams Will these environmentally sensitive area be impacted by devel	easures section.				

WET	LANDS
23a.	Does the site include any wetland areas (as defined by the New Jersey Department of Environmental Protection Act (NJSA 13:B-1 et-seq.)? yes; no If YES, acres
23b	If yes, have you applied to New Jersey Department of Environmental Protection (NJDEP) Bureau of Freshwater Wetlands for a Letter of Interpretation to determine whether or not any freshwater wetlands are present on the site? yes, no
23c.	Have you applied to the NJDEP Bureau of Freshwater Wetlands for delineation or verification of wetland lines?
	If you answered yes to 24 b or 24c, will these environmentally sensitive areas be impacted by the proposed development? yes; no
	If yes, what mitigative measures will be taken?
23d.	Will the proposed project remove, excavate, or disturb soils, dump or fill soil, erect any structure place pavement, or alter the existing pattern of vegetation within 50 feet of any freshwater wetland of exceptional resource value (as classified in N.J.A.C. 7:7A-2.5) or within 150 feet of
HIST	any wetland of intermediate resource value?yes;no
	any wetland of intermediate resource value?yes;no CORIC/ARCHAEOLOGICAL SITES
cultur	
what	proposed project located within 500 feet of an area or structure having recognized historic, ral or archaeological value?
what	proposed project located within 500 feet of an area or structure having recognized historic, ral or archaeological value?
what	proposed project located within 500 feet of an area or structure having recognized historic, ral or archaeological value?

_			
	any surface water impoundment exists verage depth. Will these dimensions be		-
		Surface Area	Average Depth
	npoundment 1		
	xisting Condition ost Development		
	•		
	npoundment 2		
	xisting Condition ost Development		
	-		
_	hat types of fish are found in the impor-	unuments:	
_			
т.	the improvedment(s) actions on		0
13	the impoundment(s)natural or	man-made	!
	impoundment(s) is man-made, is there		ntial based on undersized spill
	other overflow devices? yes		U. or aloss III
C	lassification is in accordance with United delines.		
I	the impoundment used for	fishing	
	<u> </u>	irrigation	
		fish aquiculture	
		ouler, specify	
	ny applicant whose property lies in a w	•	• •
	ommercial operations (past or present) of allysis to determine presence or potenti		
	Arsenic	iai presence, out not in	inited to the following political
i.	0.1.		
ii			
ii ii	. Chromium		
ii	. Chromium . Copper		

vii. Zinc

viii. Mercury

26.	WATER	SUPPLY
~ 0.		

26a.	What is the anticipated daily/peak demand for water: average; peak Please describe:		
26b.	What is the proposed source of water for the project?		
26c.	If wells are used to supply water, are there known groundwater pollution on or near the site? yes; no. Is there a groundwater supply problem? yes; no		
	If YES, give details:		
26d.	If a development of fifty (50) or more dwelling units is proposed; certification of adequacy (of proposed water supply) must be obtained from the NJDEP. (List permits number on Question 12).		
26e.	Provide information showing that an adequate potable water supply is available and not threatened by nearby use of other land, and the following:		
	a. If the supply is from off-site facilities, including private water companies, a certification of availability prior to final approval, from the public or private facility; or		
	b. If supply is from on-site sources, provide the location and depth, insofar as such information is practically available, of all private and public supplies within five hundred (500) feet of the site or the affected area, whichever is greater.; the location, depth and adequacy of proposed private or public water supplies to serve the proposed project; and a geologic description of subsurface conditions, including expected groundwater yields, using published geologic reports or a report by a qualified geologist.		
	c. Compliance with all State and local regulations.		
AIR (QUALITY (answer only if commercial or industrial development is proposed)		
	ources and air pollutants which will be generated by the project (including heating units, power ators, but not limited to):		

27.

	ibe sources, location and decibel rating for noise generation on-site during and post-construreference to the following standards promulgated by NJDEP, as the same may be amended for time, and NJAC 7:9, 7:27 and 7:29.
LAN	<u>D USE</u>
29a.	What is project's relations to surrounding property lines, gas pipelines, and high voltage p transmission lines?
29b.	Check types of land use occurring on parcels adjacent to project site.
	ResidentialIndustrialAgricultural
	CommercialRecreationalInstitutionalVacantOther, specify;
29c.	What are the effects (detrimental and/or beneficial) of proposed development on adjacent uses?
29d.	Farmland Preservation. (Refer to municipal and county farmland preservation plans) How many acres of farmland will be permanently preserved by this development?a
29 u .	Is the project within a municipal Agricultural Development Area?yes no

28.

Describe architectural attributes of proposed buildings. (provide artist rendition to show details). TRAFFIC Detail the traffic levels before and after development ant the project's effect on traffic patterns. Include the DOT Level of Service of affected roadways for both before and after development.

32. ASSESSMENT OF ENVIRONMENTAL IMPACT OF PROJECT

- 32a. An assessment supported by environmental data of the environmental impact of the project upon the factors described hereinabove shall be submitted and shall include an evaluation of water use, liquid and solid waste disposal and the effects of liquid and solid waste on the quality and quantity of surface and groundwater. The assessment shall include an evaluation of the compatibility in use and scale of the project with employment, shopping, schools, roads, open space and police and fire protection. All potential impacts are to be considered to be defined to include but not limited to:
 - a. Impact on geological and soil stability
 - b. Impact on soil erodibility

ARCHITECTURAL DESIGN

- c. Impact on groundwater, the aquifer and the aquifer recharge rate area
- d. Impact on streams, ponds and lakes within or without the site, whether man-made or natural
- e. Impact on vegetation and wildlife
- f. Displacement of families and individuals
- g. Impact on land use and farmland preservation plans
- 32b. Any data submitted by the applicant with the application or to other agencies, including but not limited to the NJDEP, the Salem County Board of Health, the Salem County Soil Conservation Service, or any Federal agencies having jurisdiction over one (1) or more of the environmental elements specified in this section shall be accepted by the Board as fulfilling the data requirements of this Article, to the extent applicable.

33. **MITIGATION**

30.

33a. Describe the methods that will be used during and after construction to avoid or minimize adverse environmental impacts associated with the project. Include the following factors in your evaluation:

- a. Unusual environmental impacts and damages to natural resources both on the project tract and in the areas affected.
- b. A description of steps to be taken to minimize such impacts during construction and operation, with particular emphasis upon air or water pollution. The description of steps to be taken shall be accompanied by appropriate maps, schedules and other explanatory data as may be needed to clarify the action to be taken.
- c. Discuss any increases in noise level.
- d. Discuss any damage to plant, trees and wildlife systems and communities.
- e. Discuss any displacement of people and businesses.
- f. Discuss the displacement or impacts to any existing farms.
- g. Discuss any increase in sedimentation and siltation issues.
- h. Discuss any increases in municipal services.
- 33b. <u>Alternatives.</u> The applicant may be required to provide a statement of alternatives to the proposed project, consistent with the zoning on the site, which might void some or all of the unusual environmental effects of the proposed project. The statement shall include the reasons for the acceptability or nonacceptablity of each alternative.

34. ADVERSE IMPACTS WHICH CANNOT BE AVOIDED

List all adverse environmental impacts that will be caused by the proposed development/project. Including the construction phase and post-development. Short-term impacts should be distinguished from long-term impacts. Reversible impacts should be distinguished from irreversible impacts. Any impacts on critical area which include, but not limited to, the woodlands, streams, floodways, wetlands, steep slopes, areas of high water table, prime aquifer recharge areas and mature stands of native vegetation, should specify the type of critical area involved, the extent of the area to be affected and the extent of similar area of the site which will not be affected.

revised 05/2008